

Monday, 13 April 2015

[Service Development and Screening](#)

AGE APPROPRIATE HEARING ASSESSMENT / DIAGNOSTIC TESTING GUIDANCE
Issued by the Regional Newborn Hearing Screening Quality Improvement
Group (March 2015)

1 Referral Pathway

Parental or professional concern regarding an infant/young child's hearing may be identified at any time. Where such concern is identified, direct referral should be made, irrespective of newborn hearing screening outcomes and with parental agreement.

- Under 6 months of age → paediatric otolaryngology/ENT
- 6 months up to 3 years → audiology services that provide visual reinforcement audiometry (VRA)
- Over 3 years → Audiology services

Distraction testing (devised by health visitors) is not part of the Healthy Child, Healthy Future Programme. Distraction testing should only be carried out as part of a diagnostic audiological assessment in a controlled environment, by appropriately skilled staff.

2 Test Options

- 2.1 [Under 6 months \(referred per professional age\) \(SAU\)](#)
 - 2.2 [Auditory Brainstem Response \(ABR\) under natural sleep, especially for younger babies, not an ABR and 1kHz or evoked otoacoustic emission, if there is a hearing aid, bone conduction testing should also be performed.](#)
 - Where it has not been possible to obtain reliable ABR results, isolation or presentation should be used in line with national clinical guidelines, available at: [http://www.nhs.uk/clinicalguidelines/abr/](#)
 - Diagnostic otoscopy/otoscopic examinations (OAE) autometry
 - Behavioural testing—Visual Reinforcement Audiometry (VRA) around 7 months if the infant is close to this age. Take into account the urgency of hearing.
 - 2.3 [Over 6 months up to 2 years \(referred per professional age\) \(SAU\)](#)
- Use ear specific and frequency specific stimuli. A significant hearing loss should be excluded. If ear and frequency specific information cannot be obtained the child should be reviewed to rule out milder degrees of hearing loss.

Parental or professional concern regarding an infant/young child's hearing may be identified at any time. Where such concern is identified, direct referral should be made, irrespective of newborn hearing screening outcomes and with parental agreement.

Details

Format

A4 PDF

Target group

Health professionals

Downloads

Attachment

Size

[Age Appropriate Hearing Assessment Diagnostic Testing Final 110315_0.pdf](#)

419.92

KB

[Print](#)